13.3" Open Frame Monitor

Key Features

- High brightness 2000nits
- Sunlight Readable
- LED Backlight
- Wide Viewing Angle of 178°(H), 178°(V)
- LCD Blacking Defect Free
- Low Power Consumption
- BL MTBF: 50,000 hours
- Intelligent temperature control system, active heat dissipation




Specifications


Model Name	RS133FNX01-D01-BK
Screen Size	13.3"
Display Area (mm)	293.76(H)×165.24(V) mm
Brightness	2000 cd/m^2
Resolution	3840 x 2160
Aspect Ratio	16 : 9
Contrast Ratio	1800 : 1
Response Time (Typical)	30(Typ.)(Tr/Td) (ms)
Viewing Angle	89/89/89/89 (Min.)(CR≥10)
Display Colors	16.7M
OS	monitor
Glass	N/A
Touch Type	N/A
Input Power	DC12V/5A
Power Consumption	22 W(.typ)
Radiator System	The fan will automatically start to cool down when the temperature exceeds 35℃
Input Interface	EARPHONE OUT*1 DP*1 HDMI *2 DC IN*1
Dimensions (mm)	313*189.5*40 mm
Mounting	75x75 mm Screws metric M4
Weight (Net)	TBD
Operating Temperature	0 ℃~50 ℃
Storage Temperature	-10 ℃~ 60 ℃

The information described in this specification is preliminary and can be changed without prior notic.

Outline Dimensions

Mechanical **Unit: mm**






A-KEY


MENU
DOWN
UP
ENTER
LED
POWER

B-I/O


DC IN
HDMI IN
HDMI IN
DP IN
EARPHONE OUT