55" Full Outdoor Monitor

Key Features

- High brightness 2000nits
- Sunlight Readable
- LED Backlight
- Wide Viewing Angle of 178°(H), 178°(V)
- Wide Operation Temperature (-20˚C~60˚C)
- LCD Blacking Defect Free
- Low Power Consumption
- BL MTBF: 50,000 hours




Specifications


Model Name	RS550HNX01-A04-BK
Screen Size	55"
Display Area (mm)	1209.6(H)×680.4(V) mm
Brightness	2000 cd/m^2
Resolution	1920 x 1080
Aspect Ratio	16 : 9
Contrast Ratio	1300 : 1
Response Time (Typical)	6(Typ.)(Tr/Td) (ms)
Viewing Angle	89/89/89/89 (Min.)(CR≥10)
Display Colors	16.7M
OS	Android
Glass	4MM Tempered Glass OCR
Touch Type	PCAP Touch
Input Power	AC 100~240V
Power Consumption	150W(.typ)
Radiator System	Passive heat dissipation without fan
Input Interface	USB TOUCH*2 HDMI IN*1 AC IN*1 RJ45*1
Dimensions (mm)	1280.6*751.4*98.5 mm
Mounting	400x600mm Screws metric M8
Weight (Net)	TBD
IP（Ingress Protection）	IP65
Operating Temperature	-20 ℃~60 ℃
Storage Temperature	-20 ℃~ 70 ℃


The information described in this specification is preliminary and can be changed without prior notic.

Outline Dimensions

Mechanical Drawing **Unit: mm**






AC IN
HDMI IN
USB
USB
LAN IN