65" Full Outdoor Monitor

Key Features

- High brightness 2600nits
- Sunlight Readable
- LED Backlight
- LCD Blacking Defect Free
- Wide Viewing Angle of 178°(H), 178°(V)
- Low Power Consumption
- BL MTBF: 50,000 hours
- The light sensor automatically adjusts the brightness




Specifications


Model Name	RS650HNX02-A04-BK
Screen Size	65"
Display Area (mm)	1428.48(H)×803.52(V) mm
Brightness	2600 cd/m^2
Resolution	3840 x 2160
Aspect Ratio	16 : 9
Contrast Ratio	1200 : 1
Response Time (Typical)	9(Typ.)(Tr/Td) (ms)
Viewing Angle	89/89/89/89 (Min.)(CR≥10)
Display Colors	16.7M
OS	Android 11
Glass	3+3 laminated glass,Front anti-reflection, IK10
Touch Type	Capacitive touch， 10 points
Input Power	AC 100~240V
Power Consumption	255 W(.typ)
Radiator System	Passive heat dissipation
Input Interface	USB*2 HDMI*1 AUDIO*1 RJ45*1 AC IN*1
Dimensions (mm)	1511*886*111.5 mm
Mounting	400x400mm 4-M8,MAX DEPTH=15mm
Weight (Net)	TBD
IP（Ingress Protection）	IP66
Operating Temperature	0 ℃~50 ℃
Storage Temperature	-20 ℃~ 60 ℃


The information described in this specification is preliminary and can be changed without prior notic.

Outline Dimensions

Mec **m**






400
AUDIO
WAN(RJ45)
HDMI IN
USB
AC IN