55" Open Frame Monitor

Key Features

- High brightness 2000nits
- Sunlight Readable
- LED Backlight
- Wide Viewing Angle of 178°(H), 178°(V)
- Wide Operation Temperature (-20°C~60°C)
- LCD Blacking Defect Free
- Low Power Consumption
- BL MTBF: 50,000 hours
- Intelligent temperature control system, active heat dissipation




Specifications

Model Name	RS550FNX01-D01-BK
Screen Size	55"
Display Area (mm)	1209.6(H)×680.4(V) mm
Brightness	2000 cd/m^2
Resolution	1920 x 1080
Aspect Ratio	16 : 9
Contrast Ratio	1200 : 1
Response Time (Typical)	8(Typ.)(Tr/Td) (ms)
Viewing Angle	89/89/89/89 (Min.)(CR≥10)
Display Colors	16.7M
OS	monitor
Glass	N/A
Touch Type	N/A
Input Power	AC 100~240V
Power Consumption	307 W(.typ)
Radiator System	Automatic heat dissipation
Input Interface	AC IN*1 AUDIO IN*1 VGA*1 HDMI *1 DVI*1 EARPHONE OUT*1
Dimensions (mm)	1243.2*719*79.5 mm
Mounting	400x400 mm Screws metric M8
Weight (Net)	TBD
Operating Temperature	-20 ℃~60 ℃
Storage Temperature	-20 ℃~ 60 ℃

The information described in this specification is preliminary and can be changed without prior notic.

Outline Dimensions


Mechanical Drawing **Unit: mm**



A


AUTO
MENU
LEFT
RIGHT
EXIT/SELECT
LED
POWER

B


EARPHONE OUT/AUDIO IN
VGA IN
DVI IN
HDMI IN
ON/OFF
AC IN