32" Window Facing Display

Key Features

- High brightness 2000nits
- Sunlight Readable
- LED Backlight
- Wide Viewing Angle of 178°(H), 178°(V)
- Wide Operation Temperature (-20 °C~60°C)
- LCD Blacking Defect Free
- Low Power Consumption
- BL MTBF: 50,000 hours
- Intelligent temperature control system, active heat dissipation



Specifications

Model Name	RS320MVX01-A01-BK
Screen Size	32"
Display Area (mm)	392.9(H)×698.4(V) mm
Brightness	2000 cd/m^2
Resolution	1080 x 1920
Aspect Ratio	9 : 16
Contrast Ratio	1300 : 1
Response Time (Typical)	6(Typ.)(Tr/Td) (ms)
Viewing Angle	89/89/89/89 (Min.)(CR≥10)
Display Colors	16.7M
OS	Android
Glass	N/A
Touch Type	N/A
Input Power	AC 100-240 V
Power Consumption	126 W(.typ)
Radiator System	The fan will automatically start to cool down when the temperature exceeds 35℃
Input Interface	AC IN*1 HDMI*1 RJ45*1 EARPHONE OUT*1 TF*1 USB*2
Dimensions (mm)	428*754.5*82.5 mm
Mounting	200x200 mm Screws metric M4
Weight (Net)	TBD
Operating Temperature	-20 ℃~60 ℃
Storage Temperature	-20 ℃~ 70 ℃

The information described in this specification is preliminary and can be changed without prior notic.

Outline Dimensions

Mechanical Drawing **Unit: mm**




200.0
4-M4 Depth=6mm
200.0